according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TEMPOFORTE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent, alkaline

Reserved for industrial and professional use.

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: DR.SCHNELL GmbH & Co. KGaA

Street: Taunusstraße 19
Place: D-80807 München
Telephone: +49/89/350608-0

Telephone: +49/89/350608-0 Telefax: +49/89/350608-47

e-mail: info@dr-schnell.de

Contact person: Josef Feuerstein Telephone: +49/89/350608-46

e-mail: sdb@dr-schnell.de Internet: www.dr-schnell.de

Responsible Department: Labor

1.4. Emergency telephone Emergency CONTACT (24-Hour-Number) international:

<u>number:</u> GBK GmbH +49 (0) 61 32 - 8 44 63

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB. Observe pH value.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 2 of 11

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to	Regulation (EC) No. 1272/2008 [C	CLP]			
122-99-6	2-phenoxyethanol			5 - < 10 %		
	204-589-7	603-098-00-9				
	Acute Tox. 4, Eye Irrit. 2; H	302 H319				
5131-66-8	3-butoxypropan-2-ol			5 - < 10 %		
	225-878-4		01-2119475527-28			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319					
34590-94-8	Dipropylene glykolmonome	1 - < 5 %				
	252-104-2					
64-17-5	Ethanol	1 - < 5 %				
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H					
15763-76-5	Sodium cumenesulphonate	1 - < 5 %				
	239-854-6		01-2119489411-37			
	Eye Irrit. 2; H319					
124-68-5	2-amino-2-methylpropanol	1 - < 5 %				
	204-709-8	603-070-00-6				
	Eye Irrit. 2, Skin Irrit. 2, Aquatic Chronic 3; H319 H315 H412					

Full text of H and EUH statements: see section 16.

Further Information

Regulation (EC) No. 648/2004 (Detergents regulation) 5 % - < 15 % nonionic surfactants perfumes Phenoxyethanol

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim out of danger zone. Provide fresh air.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated clothing immediatley and dispose off safely.

In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, seek medical advice immediately and show this container or label.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

If applicable, delayed symptoms and effects can be found in section 11., i.e. under section 4.1 for absorption methods.

The following symptoms may occur: Eye irritation

With long-term contact: Skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

Water spray. / alcohol resistant foam. / Carbon dioxide (CO2). / Dry extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. Hazardous combustion products

Oxides of carbon

Nitrogen oxides (NOx).

Poisonous gases

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

If necessary Full protective suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation.

Avoid contact with eyes and skin.

Avoid breathing dust/fume/gas/mist/vapours/spray.

If necessary Caution, slippery

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not allow to enter into surface water or drains.

Leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 4 of 11

Can be diluted with water

Flush residue with plenty of water.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 For personal protective equipment see Section 8 and for disposal instructions see

Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In addition to the information contained in this section, relevant information can also be found in sections 8 and 6.1.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

Provide adequate ventilation.

Avoid contact with eyes and skin.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

General hygiene measures for the handling of chemicals are applicable.

Observe instructions for use.

Notice the directions for use on the label.

Working methods should be applied according to operating instructions .

Keep away from food, drink and animal feedingstuffs.

Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

storage temperature: at room temperature

Protect against: frost.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 5 of 11

Appropriate engineering controls

Provide adequate ventilation.

This can be achieved by local exhaust ventilation or general ventilation.

When exceeding the occupational exposure limit (OEL): Use appropriate respiratory protection.

Applies only if maximum permissible exposure values are listed here.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme.

When using do not eat or drink.

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

Contaminated work clothing should not be allowed out of the workplace.

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

No tests have been carried out.

If necessary

Protective gloves made of butyl (EN 374)

Protective gloves of neoprene (EN 374) / CR (polychloroprenes, Chloroprene rubber). (EN 374)

Protective gloves of nitrile (EN 374), Minimum coating thickness in mm: 0,5 - Permeation time (penetration time) in minutes: 240

The calculated penetration times according to EN 374 part III were not performed under real conditions.

A maximum gestation period that corresponds with 50% of the penetration time is recommended.

Hand lotion are recommended.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

pH-Value:

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not determined

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 6 of 11

Sustaining combustion: Not sustaining combustion

Flammability

Solid: not determined
Gas: not determined

Explosive properties

not determined

Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not determined
Gas: not determined
Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure:not determinedVapour pressure:not determinedDensity:1,006 g/cm³Bulk density:not applicableWater solubility:easily soluble.

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

not determined

Viscosity / kinematic:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

Solvent content:

not determined

9.2. Other information

Solid content: not determined

Mixability: not determined Fat solubility (g/l): not determined Conductivity: not determined Surface tension: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

Stable with proper storage and handling.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

See also section 7.

No information available.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 7 of 11

10.5. Incompatible materials

Avoid contact with strong oxidants Avoid contact with strong acids.

10.6. Hazardous decomposition products

See also section 5.2.

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Possibly more information on health effects, see Section 2.1 (classification).

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
122-99-6	2-phenoxyethanol					
	oral	LD50 mg/kg	1850	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
64-17-5	Ethanol					
	oral	LD50 mg/kg	10410	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation (4 h) vapour	LC50 mg/l	117-125	Rat		
15763-76-5	Sodium cumenesulphonate					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation (4 h) vapour	LC50	>5 mg/l	Rat		
124-68-5	-5 2-amino-2-methylpropanol					
	oral	LD50 mg/kg	2900	Ratte	IUCLID	
	dermal	LD50 mg/kg	> 2000	Kaninchen	IUCLID	

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 8 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

See section 2.1 (rating) for potentially additional information concerning environmental effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
122-99-6	2-phenoxyethanol							
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus			
	Acute algae toxicity	ErC50 mg/l	> 500	72 h	Scenedesmus sp.			
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna			
64-17-5	Ethanol							
	Acute fish toxicity	LC50 mg/l	13000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris			
	Acute crustacea toxicity	EC50 mg/l	12340		Daphnia magna (Big water flea)	Daphnia magna		
15763-76-5	Sodium cumenesulphonate							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Cyprinus carpio (Common Carp)			
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Grünalge	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna			
124-68-5	2-amino-2-methylpropanol							
	Acute fish toxicity	LC50	190 mg/l	96 h	Lepomis macrochirus	IUCLID		
	Acute algae toxicity	ErC50	520 mg/l	72 h	Desmodesmus subspicatus			

12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,16
64-17-5	Ethanol	-0,35
124-68-5	2-amino-2-methylpropanol	-0,74

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 9 of 11

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Avoid release to the environment. According to the recipe, does not contain AOX

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

For example: designated incinerator

E.g. dispose at suitable refuse site.

Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

Completely empty containers

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

not applicable
not applicable
not applicable
not applicable

Inland waterways transport (ADN)

14.1. UN number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable

Marine transport (IMDG)

not applicable
not applicable
not applicable

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: not applicable

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 10 of 11

14.2. UN proper shipping name:not applicable14.3. Transport hazard class(es):not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 6,269 % (62,685 g/l) 2004/42/EC (VOC): 12,674 % (126,738 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revised sections: 1, 9, 16

Additional information:

<10% in aqueous solution: The mixture is classified as not hazardous according to regulation (EC) No

1272/2008 [CLP].

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

TEMPOFORTE

Revision date: 15.06.2018 Product code: 70253_CLP Page 11 of 11

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)